

Item 11J

[Stainless Steel Drinking Fountain with Bubbler](#)



Drinking Fountain - Wall Mounted Stainless Steel with Bubbler Valve Tap

Price (Inc VAT): **£170.40**

Price (Ex VAT): **£142.00**

IN STOCK

Ref: GW-361-WRAS-B

Delivery Time

1-3 working days

Dispenser *

Standard WRAS approved bubbler tap


Connection Kit

not selected

Qty

1

Item 11J



Item 11J

Details

Product Data Sheets

This durable wall-mounted drinking fountain is constructed from 1.5mm thick satin-polished stainless steel. It can be installed at either adult or junior height for added versatility. To ensure safety, the unit boasts a smooth rounded design, eliminating sharp corners that could pose a risk to users.

- smooth rounded design
- 1.5mm thick grade 304 satin stainless steel
- WRAS-approved bubbler tap (Approval No. 2108702)
- option for NSF-certified bubbler or bottle filler swan neck filler
- raised landing area around bubbler tap
- 32mm waste outlet supplied
- integral splashback
- side positioned bubbler for optimum flow trajectory
- suitable for indoor or outdoor installation
- ideal for schools and public amenities



This model comes with appropriate wall mounting brackets and is manufactured in one piece from grade 304 stainless steel.

For ease of use, the bubbler valve is situated to one side, on a raised landing area and features a shielded outlet nozzle. The integrated splashback provides for ease of cleaning.

This stainless steel drinking fountain is suitable for outside installation but will need to be isolated and drained down during periods of freezing weather to prevent damage to the valve and pipework.

Supplied with wall bracket, 32mm grated waste fitting and a chrome plated brass shielded bubbler complete with water inlet fitting to suit 15mm diameter pipework.

Depth: 350mm (projection from wall)

Height: 225mm (including 77mm high rear upturn but excluding bubbler)

Recommended mounting heights: top of front apron to finished floor junior 762mm, adult 915mm



Item 11J



Drinking fountains with bubblers provide a jet of water to the user under normal mains pressure which does not need a cup or drinking vessel.

WRAS approved bubbler tap, supplied as standard with the drinking fountain a chrome press button drinking water bubbler valve (tap) approved product in accordance with UK water regulations.

NSF approved bubbler tap, heavy duty shielded chrome press button drinking water bubbler valve (tap) with easily replaceable self-contained Pro-Flo™ cartridge. Product is certified to NSF/ANSI 372. If you require this option please select the dispenser type above.

Bottle / Cup filler: self-closing push button valve fitted with a 255mm high, chrome plated, fixed brass [swan-neck spout](#). Water only flows whilst the button is depressed. For safety reasons, glass/bottle fillers are not designed to withstand heavy impact and should only be installed in areas with supervision or low risk of vandalism. If you require this option please select the dispenser type above.

Optional but recommended is our [mains water connection kit](#) designed for aiding the connection of drinking fountains to a mains water supply pipe. Protects the drinking fountain by preventing the maximum pressure rating being exceeded. Double check valve prevents backward flow of liquid.

UPC 700461826736

Item 11J

[Shrouded Stainless Steel Drinking Fountain | Gentworks](#)



Drinking Fountain - Wall Mounted Stainless Steel with Undershroud and Bubbler Valve Tap

Price (Inc VAT): **£228.00**

Price (Ex VAT): **£190.00**

IN STOCK

Ref: GW-362-WRAS-B

Delivery Time

1 to 4 working days

Dispenser *

Standard WRAS approved bubbler tap

Connection Kit


not selected

Qty

1

Add to Basket

Item 11J



Item 11J



Details

Product Data Sheets

This robust wall-mounted drinking fountain is constructed from 1.5mm thick satin-polished stainless steel. Its versatile design allows for installation at either adult or junior height. Prioritising safety, the unit features a smooth, rounded design, eradicating any sharp corners that might pose a risk to users. Furthermore, it comes equipped with a deep under-shroud and a removable baseplate, offering the flexibility to conceal the water inlet and waste pipe connections. If through-wall inlet and outlet connections aren't feasible, you have the option to leave the baseplate unfitted.

- smooth rounded design
- 1.5mm thick grade 304 satin stainless steel
- WRAS-approved bubbler tap (Approval No. 2108702)
- option for NSF-certified bubbler or bottle swan neck filler
- under-shroud provides protection for water connections
- 32mm waste outlet supplied
- integral splashback
- side positioned bubbler for optimum flow trajectory
- suitable for indoor or outdoor installation
- ideal for schools and public amenities



For ease of use, the bubbler valve is situated to one side, on a raised landing area and features a shielded outlet nozzle. The integrated splashback provides for ease of cleaning.

This stainless steel drinking fountain is suitable for outside installation but will need to be isolated and drained down during periods of freezing weather to prevent damage to the valve and pipework.

Item 11J

Pack Includes:

- wall bracket
- security screw removal key
- 32mm grated waste fitting
- chosen dispenser
- inlet fitting for 15mm diameter pipework

Depth: 360mm (projection from wall)

Height: 290mm (including 75mm high rear upturn but excluding bubbler)

Recommended mounting heights: top of front apron to finished floor Junior = 762mm, Adult = 915mm



Drinking fountains with bubblers provide a jet of water to the user under normal mains pressure which does not need a cup or drinking vessel.

WRAS approved bubbler tap, supplied as standard with the drinking fountain a chrome press button drinking water bubbler valve (tap) approved product in accordance with UK water regulations.

NSF approved bubbler tap, heavy duty shielded chrome press button drinking water bubbler valve (tap) with easily replaceable self-contained Pro-Flo™ cartridge. Product is certified to NSF/ANSI 372. If you require this option please select the dispenser type above.

Bottle / Cup filler: self-closing push button valve fitted with a 255mm high, chrome plated, fixed brass [swan-neck spout](#). Water only flows whilst the button is depressed. For safety reasons, glass/bottle fillers are not designed to withstand heavy impact and should only be installed in areas with supervision or low risk of vandalism. If you require this option please select the dispenser type above.

Optional but recommended is our [mains water connection kit](#) designed for aiding the connection of drinking fountains to a mains water supply pipe. Protects the drinking fountain by preventing the maximum pressure rating being exceeded. Double check valve prevents backward flow of liquid.

Item 11J

Bottle Filling Trough - Single - Sterinox



Bottle Filling Trough – Single

- Comes complete with bib tap and waste for easy setup and maintenance
- Sleek recessed design for a clean, modern look
- Durable stainless steel for long-lasting performance
- Eco-friendly solution, encouraging reusable bottles
- Perfect for high-traffic areas like gyms, schools, and offices
- Price includes VAT and complimentary delivery

£290.00 Inc Vat

Pay later with Klarna available on checkout

- 1 +

Add to basket

Apple Pay

Google Pay


SKU: BFT-1

Category: Drinking Fountain

Delivery

This item will be dispatched within 5–7 working days.

Item 11J



Description

The **wall mounted bottle trough** provides a simple, hygienic, and space-efficient hydration solution. It is ideal for schools, gyms, leisure centres, and public environments. Manufactured from durable stainless steel, this unit encourages the use of reusable bottles and helps reduce single-use plastic waste. In addition, its wall-mounted design saves valuable floor space while maintaining a clean and modern appearance.

Constructed from high-quality, corrosion-resistant stainless steel, the trough is built for long-term use. The brushed satin finish resists daily wear and keeps the unit looking professional. Furthermore, the **wall mounted bottle trough** includes a timed-flow push-button tap, which helps control water usage and reduce unnecessary waste. A waste outlet is also supplied, allowing for efficient drainage and straightforward installation.

This unit suits both indoor and sheltered outdoor areas. It can also be installed at various heights, making it adaptable for different user requirements. As a result, it works well in educational settings, healthcare facilities, and commercial spaces. Its slim profile ensures it fits neatly into busy environments without causing obstruction.

Moreover, this trough supports sustainability initiatives by promoting refill culture over disposable alternatives. Users benefit from a quick, clean, and convenient way to stay hydrated throughout the day. Therefore, it is a practical addition for organisations aiming to improve both hygiene and environmental impact.

If you require higher capacity, consider our double or triple bottle filling trough options. Alternatively, explore our full range of drinking fountains and bottle filling solutions.