



BAT ACTIVITY SURVEY RESULTS REPORT

**TRAWDEN COMMUNITY CENTRE,
BALL GROVE PARK,
TRAWDEN,
COLNE**

AUGUST 2026

Bat Activity Survey Results Report

**Trawden Community Centre,
Ball Grove Park,
Trawden,
Colne**

A report for



**C/O Trawden Library and Shop,
Church Street,
Trawden,
Colne
BB8 8RU**

Report authors



email: patrick@pennineecological.co.uk

web: www.pennineecological.co.uk

Version	Author	Check / Review	Description	Date
1.0	Luke Pilling QCIEEM	Patrick Leatham MCIEEM	Draft report	14/08/2026

CONTENTS

1.	Introduction	1
1.1	Background and Reason for Survey	1
1.2	Site Location and Context	2
2.	Methodology	3
2.1	Activity Survey Methods	3
2.2	Survey Limitations	4
3.	Results	5
3.1	Bat Activity Survey Results	5
4.	Conclusion & Recommendations	13
4.1	Bat Survey Conclusion	13
4.2	Recommendations / Mitigation	13
	References	16
	Appendix A: Bat Legislation and Policy	17

Terms of Use

This report has been compiled by PENNINE Ecological with all reasonable skill, care, and diligence within the terms of the instruction and permissions granted by the client. The results, conclusions and recommendations of this report are proportionate and in line with the British Standard 42020:2013.

This is a technical report and does not represent legal advice/opinion.

The report is for the sole use of the commissioning client in connection with the development project described in the report, and must not be used for any other purpose, copied, re-produced, or sent to any other party other than the Local Planning Authority without the permission of PENNINE Ecological.

This report remains the property of PENNINE Ecological and cannot be relied upon until full payment has been made. PENNINE Ecological reserve the right to retract any survey reports submitted to planning where payments are outstanding.

PENNINE Ecological will retain the right to re-publish data obtained, and to forward data collected during all its ecology surveys to the local wildlife records centre.

1. INTRODUCTION

1.1 BACKGROUND AND REASON FOR SURVEY

PENNINE ecological have been commissioned by Trawden Forest Parish Council to undertake bat presence/absence surveys of the property at the Trawden Community Centre, Colne. The survey is required following a Preliminary Roost Assessment undertaken by Pennine Ecological, which concluded the church to be of **High suitability** to support a bat roost(s).

Therefore, in accordance with current Bat Conservation Trust's *Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edn) Collins, J. Bat Conservation Trust (2023)*, three presence/absence surveys have been undertaken (see Figure 1.1 below).

Figure 1.1: Extract from in Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edn) Collins, J. Bat Conservation Trust (2023)

Table 7.2. Recommended minimum number of survey visits for presence/absence surveys to give confidence in a negative result for structures (also recommended for trees but unlikely to give confidence in a negative result).		
Low roost suitability or PRF-I	Moderate roost suitability	High roost suitability or PRF-M
One survey visit. One dusk emergence survey ^a (structures). No further surveys required (trees).	Two separate dusk emergence survey visits ^b .	Three separate dusk emergence survey visits ^b .
a Structures that have been categorised as low potential can be problematic and the number of surveys required should be judged on a case-by-case basis (see para 5.2.44). In some cases, more than one survey may be needed, particularly where there are several buildings in this category. b Multiple survey visits should be spread out to sample as much of the recommended survey period (see Table 7.1) as possible; it is recommended that surveys are spaced at least three weeks apart, preferably more.		

The surveys were undertaken to determine whether the proposals to convert part of the existing community building with the addition of a new toilet block would result in adverse impacts to bats which may potentially be roosting within the building.

The results, conclusions and recommendations following the surveys, including any indicative mitigation to inform an application to Natural England for a European protected species mitigation licence (EPSML), where necessary, will be supplied within this report.

In accordance with Biodiversity Net Gain: Good practice principles for development (*CIEEM et al, 2019*), measures have been recommended proportionate to anticipated impacts to ensure that the proposed development results in a biodiversity net gain.

Information pertaining to bat legislation and planning policy is included in Appendix A.

1.2 SITE LOCATION AND CONTEXT

The building subject to survey located off the A6068 Keighley Road, accessed via Ball Grove Drive and a public car park. The central National Grid Reference is NGR: SD 9091 4038. An aerial image of the building subject to survey is shown below.

Figure 1.2: Aerial image of building at Trawden Community Centre, Colne.



2. METHODOLOGY

2.1 ACTIVITY SURVEY METHODS

Bat Conservation Trust's Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edn) Collins, J. Bat Conservation Trust (2023) states:-

Expertise and professional judgement:

- The guidelines do not aim to override or replace knowledge and experience.
- It is accepted that departures from the guidelines (e.g., either decreasing or increasing the number of surveys carried out or using alternative methods) are often appropriate.
- However, in such scenarios an ecologist should provide evidence of (a) their expertise in making this judgement and (b) the ecological rationale behind the judgement.
- Equally, it would be inappropriate for someone with no knowledge or experience to read these guidelines and expect to be able to design, carry out, interpret the results of and report on professional surveys, simply by following the guidelines without the ability to apply any professional judgement.
- Training and experience is necessary to carry out all of the surveys described in these guidelines and interpret the survey results appropriately.

The survey methods have been determined using the experience of the surveyors and knowledge of the specific nature of the site.

Three dusk emergence surveys were undertaken on the 16th June, 9th July, and 30th July 2026. This is considered to be within the main active season for bats (April to September inclusive).

The number of surveys and surveyors was adequate relative to the roost potential that was identified for the site i.e., high potential and requiring three surveys by two surveyors to monitor potential roost features (PRF's) on the property at any one time.

Surveys were undertaken in good weather conditions and there were no visual constraints. Surveyors observed the roost features for at least 15 minutes prior to sunset and 1 hour 30 minutes after sunset.

Each surveyor was aided with bat detection equipment (EMTouch) that would enable surveyors to locate and record high frequency bat calls that are emitted by bats. The surveyors were also aided with an infrared night vision camera (Nightfox Whisker Binoculars) to assist visually observing the features once light levels dropped. The recordings were analysed following the survey to verify field observations.

The surveys were completed by the following people:

- Gareth Hey ACIEEM – Freelance ecologist with 10 years' survey experience undertaking bat emergence surveys and preliminary roost assessments (preliminary

roost assessments, bat activity surveys, and bat transect surveys). Class 2 Bat licence (2021-51195-CLS-CLS). Lead surveyor for these surveys.

- Luke Pilling – Pennine Ecological ecologist with four years' survey experience undertaking bat emergence surveys and preliminary roost assessments.
- Caspar Sloan – Pennine Ecological seasonal ecologist with two years' survey experience undertaking bat emergence surveys.
- Sally Standish – Pennine Ecological seasonal ecologist with two years' survey experience undertaking bat emergence surveys.
- Jonathan Hey – Pennine Ecological seasonal ecologist with one years' survey experience undertaking bat emergence surveys.

2.2 SURVEY LIMITATIONS

The surveys were undertaken in suitable weather conditions and within the recommended BCT survey timeframes.

3. RESULTS

3.1 BAT ACTIVITY SURVEY RESULTS

Survey details including dates, times and weather conditions are provided in Table 3.1 and the results of the dusk surveys provided in Table 3.2. NVA Screenshots from each surveyor location taken at the surveys darkest points are provided in Figure 3.1, 3.2, and 3.3. Common flight paths and bat activity can be found in Figures 3.4, 3.5, and 3.6.

Table 3.1: Bat Activity Survey Details

Time of Survey	Sunset/Sunrise Time	Date	Weather Conditions
21:28 – 23:13	21:43	16/06/2026	Cloud (oktas): 7 Wind (Beaufort): 1 Rainfall: no rain Start temp: 16°C End temp: 14°C
21:23 – 23:08	21:38	09/07/2026	Cloud (oktas): 0 Wind (Beaufort): 0 Rainfall: no rain Start temp: 21°C End temp: 18°C
20:55 – 22:42	21:12	30/07/2026	Cloud (oktas): 0 Wind (Beaufort): 2 Rainfall: no rain Start temp: 18°C End temp: 14°C

Table 3.2: Bat Activity Survey Results

Survey Results	Time	Species	Activity
Dusk survey 1 16/06/26	20:28 – 23:13	Summary: No emergence. High levels of activity.	
	21:35	Soprano pipistrelle	First bat heard, not seen.
	21:43 – 22:28	Noctule	2no. bats constantly foraging near the site. 1no. bats foraging over the park car park north of the building. 1no. bats foraging over the lake south of the building.
	21:56	Common pipistrelle	1no. commuting south of the building. Flew from the west and headed east.
	22:12	Myotis (daubentons)	Heard not seen.

Trawden Community Centre, Ball Grove Park, Trawden, Colne
Bat Activity Survey Results Report

Survey Results	Time	Species	Activity
	22:20 – 23:03	Soprano pipistrelle	1no. bats constantly foraging over the pond south of site and occasionally south of the building.
	22:53	Myotis (daubentons)	Heard not seen.
Dusk survey 2	21:23 – 23:08	Summary: No emergence. Moderate levels of activity.	
09/07/2026	21:42	Noctule	First bat heard, not seen.
	21:45	Soprano pipistrelle	1no. bats commuting along the access track west of the site. Flew from west and headed east over the site.
	21:45	Common pipistrelle	2no. bats foraging close by to each other along the trees north of the site.
	21:48 – 22:48	Noctule	3no. bats constantly foraging near the site. 1no. bats foraging over the park car park north of the building. 2no. bats foraging over the lake south of the building.
	22:05	soprano pipistrelle	1no. commuting south of the building. Flew from the west and headed east.
	22:46	Myotis (daubentons)	At least 2no. bats foraging over the lake south of the site.
Dusk survey 3	20:55 – 22:42	Summary: No emergence. Low activity.	
30/07/2026	21:23	Soprano pipistrelle	First bat seen/heard. 1no. bats commuting over site. Flew from north and headed south.
	21:30	Common pipistrelle	1no. bats commuting over site. Flew from west and headed east.
	21:41	Soprano pipistrelle	2no.bats foraging over the vegetation east of the building.
	21:46	Myotis (daubentons)	1no. bats commuting near the site. Flew from east and headed west.
	22:02	Noctule	1no. bats foraging over the lake south of the site.
	22:26	Soprano pipistrelle	Last bat heard/ seen foraging along lake bank south of site.

Figure 3.1: NVA Screenshots at darkest Point – 16/06/2026



Figure 3.2: NVA Screenshots at darkest Point – 09/07/2026



Figure 3.3: NVA Screenshots at darkest Point – 23/07/2026




Figure 3.4: Bat Activity – 16/06/2026



Surveyor Locations	
Common Flight Paths	

Figure 3.5: Bat Activity – 09/07/2026



Surveyor Locations	
Common Flight Paths	

Figure 3.6: Bat Activity – 30/07/2026



Surveyor Locations	
Common Flight Paths	

4. CONCLUSION & RECOMMENDATIONS

4.1 BAT SURVEY CONCLUSION

From the surveys undertaken, it can be concluded that bats were absent from the building at Trawden Community Centre, Colne. Bat activity was high within the site itself with frequent foraging activity over the lake and vegetation surrounding the park car park and community centre building. Four different species were identified to be using the site to forage and commute. The majority of the activity observed was from soprano and common pipistrelles which are the most common species of bats found in the UK.

4.2 RECOMMENDATIONS / MITIGATION

Due to the absence of a bat roost, works can proceed as planned.

As bats are highly transient species' and can use buildings that offer potential roost features at any time of the year, it should be stated that if bats, or evidence of bats is found at any stage during the works, then as a legal requirement the work at the site must stop immediately and a bat ecologist contacted for further advice.

Although no roost has been identified, the proposal should consider enhancements for bats to demonstrate a biodiversity net gain for this site, in accordance with local and national planning policy. A number of potential enhancement measures are provided below.

4.2.1 Enhancing a development site for bats

External lighting

In all cases illumination of peripheral boundary areas should be avoided. Where lighting is required, this must be low level, low intensity and directed downwards away from boundaries. The following principles will apply;

- Where and if lighting is required, this should be directed internally within the site avoiding spillage towards boundary habitats.
- The use of low powered sodium lights or similar should be used and these will be fitted with cowls / covers that prevent lateral light spillage towards boundary habitats.
- Wherever possible and only if required low level (1-1.5m high) bollard lighting will be used.
- If required lights will be fitted with timer controls that minimise the duration of lighting.

Lighting requirements will follow guidance provided by the Bat Conservation Trust; links are provided below.

- Bat Conservation Trust's Artificial Lighting Guidance. Webpage link <https://www.bats.org.uk/our-work/buildings-planning-and-development/lighting>

- Bat Conservation Trust and Institute of Lighting Professionals Guidance Note 08/23: Bats and Artificial Lighting in the UK. Webpage link <https://theilp.org.uk/publication/guidance-note-8-bats-and-artificial-lighting/>

Bat Roost Provisions

It is recommended that at least two of the provisions detailed below are provided within the site.

Integrated bat boxes

The Habibat Bat Box is a solid box made of insulating concrete with internal roosting space. The box blends seamlessly into brick-built properties and may be incorporated into the fabric of buildings, being best placed on gable elevations.

Figure 4.1: Integrated bat box



Externally fitted boxes


A large number of externally fitted box models for bats exist for buildings. Suitable models for both buildings and trees may include the Eco Kent Bat Box or a soffit bat box.

Figure 4.2: Externally fitted bat box




Ridge access

Where appropriate, ridge tile access should be made with the incorporation of traditional Bitumen 1F underfelt immediately beneath ridge tiles. Breathable BRM membrane can cause significant problems where bats are in contact with it, whereby their fine claws become entangled within the fibres of the membrane, entrapping, and killing bats.



Soffit access

Where soffits are instated at gable elevations, roost provision may be instated in the form of a soffit bat box with internal roosting space.



REFERENCES

Bat Conservation Trust and Institute of Lighting Professionals Guidance Note 08/23: *Bats and Artificial Lighting in the UK*. Webpage link <https://theilp.org.uk/publication/guidance-note-8-bats-and-artificial-lighting/>

CIEEM et al, 2019. *Biodiversity Net Gain: Good practice principles for development*. Available from:
www.cieem.net/data/files/Publications/Biodiversity_Net_Gain_Principles.pdf

Collins, J. (2023). *Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edn)*. The Bat Conservation Trust, London.

Mitchell-Jones, A. J., 2004. *Bat mitigation guidelines*. External Relations Team, English Nature, Northminster House, Peterborough, PE1 1UA.

Mitchell-Jones, A. J. (ed.), 1987. *The bat worker's manual*. Dept. BWM, Nature Conservancy Council, Northminster House, Peterborough, PE1 1UA.

Google Earth. Accessed various dates. Latest access 14/08/2026

Appendix A: Bat Legislation and Policy

Legislation

All British bats and their roosts¹ are afforded protection under Schedule 5 of the Wildlife & Countryside Act (1981) (as amended) and are listed in Schedule 2 of The Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019 (SI 2019/579). When dealing with cases where a European Protected Species (EPS) (all UK bats) may be affected, a planning authority is a competent authority within the meaning of the Regulation 7 of the Regulations, that has a statutory duty as the local authority to have due regard to the provisions of the Regulations in the exercise of its functions.

The relevant sections of the Wildlife and Countryside Act 1981 (as amended) make it an offence to:

- Intentionally or recklessly damage or destroy any structure or place which any wild animal specified in Schedule 5 uses for shelter or protection;
- Intentionally or recklessly disturb any such animal while it is occupying a structure or place which it uses for shelter or protection; or
- Intentionally or recklessly obstruct access to any structure or place which any such animal uses for shelter or protection.

The relevant sections of the Conservation of Habitats and Species Regulations 2019 make it an offence to:

- Deliberately capture, injure or kill any wild animal of a European Protected Species;
- Deliberately disturb wild animals of any such species; and,
- Damage or destroy a breeding site or resting place of such an animal.

Where it is likely that the scheme would result in contravention of this legislation, a bat mitigation licence would be required to allow the works to proceed. As part of this process, the application must meet 'three tests' for licencing under the Conservation of Habitats and Species Regulations 2019. Planning guidance and case law also require the Local Planning Authority (LPA) to address these three tests when deciding whether to grant planning permission. The three tests are as follows:

- Regulation 55 (2) (e) states that a derogation license can only be issued for preserving public health or public safety or other imperative reasons of overriding public interest including those of a social or economic nature and beneficial consequences of primary importance for the environment;
- Regulation 55 (9) (a): that there is no satisfactory alternative; and
- Regulation 55 (9) (b): that the action authorised will not be detrimental to the maintenance of the population of the species concerned at a favourable conservation status in their natural range.

Policy

¹ The term roost is generically referred to as a place that bat/s use for the any of the above reasons, however it should be noted that under the Conservation of Habitats and Species Regulations (2019) (EU Exit) (Regulation 43 (d) the term roost is not used but refers to "a breeding site or resting place of such an animal" and is afforded legal protection. The roost, breeding site or resting place of bats, which ever terminology is used is legally protected whether or not bats are in occupation

Section 15, Paragraph 186 of the National Policy Planning Framework (as revised in December 2023) states:

186. When determining planning applications, local planning authorities should apply the following principles:

- a) if significant harm to biodiversity resulting from a development cannot be avoided (through locating on an alternative site with less harmful impacts), adequately mitigated, or, as a last resort, compensated for, then planning permission should be refused;
- b) development on land within or outside a Site of Special Scientific Interest, and which is likely to have an adverse effect on it (either individually or in combination with other developments), should not normally be permitted. The only exception is where the benefits of the development in the location proposed clearly outweigh both its likely impact on the features of the site that make it of special scientific interest, and any broader impacts on the national network of Sites of Special Scientific Interest;
- c) development resulting in the loss or deterioration of irreplaceable habitats (such as ancient woodland and ancient or veteran trees) should be refused, unless there are wholly exceptional reasons and a suitable compensation strategy exists; and
- d) development whose primary objective is to conserve or enhance biodiversity should be supported; while opportunities to improve biodiversity in and around developments should be integrated as part of their design, especially where this can secure measurable net gains for biodiversity or enhance public access to nature where this is appropriate.

Bats in Lancashire

Up to ten bat species have been recorded in Lancashire, most of which use built structures (e.g., residential properties, bridges, and culverts) as well as features in trees (e.g., knot holes, woodpecker holes, peeling bark and torn limbs). The most frequently encountered species are the common and soprano pipistrelle bats; their abundant status in Lancashire is reflected throughout the UK.